Statement showing the number of cattle that have entered the State Forests and Reserved lands in the several districts of the Mysore Province during the week ending the 17th April 1909.

District	Name of taluk to which the cattle belong	Name of State Forests in which they graze	Number of cattle of all descriptions: Up to the beginning of the week	Number of cattle of all descriptions: During the week	Number of cattle of all descriptions: Total	Condition of cattle	Whether any epidemic disease is prevailing in the district	Whether fodder and water are sufficient	Whether there is room for more cattle	Whether any provision is necessary for water and, if so, what provision has been made	Remarks
Tumkur—For the week ending the 17th April 1909.	Tumkur	Devarayadurga, Tirtharampura, Manchaldore	2,661	...	2,661	Fair	Dodda Roga in the Kunigal and Pavagada Taluks, and Rinderpest in some parts of the Kunigal Taluk.	Yes	Available in the Bukkapatna and Pavagada Forests.	Water holes have been dug in all possible places where water could be tapped in the forests and they are being deepened as the water-level sinks.	
	Gubbi	Tirtharampura, Manchaldore, Bukkapatna	3,141	...	3,141	Healthy					
	Hiriyur	Dasudi, Kudurekanave	817	...	817	Moderate					
	Chiknayakanhalli	Dasudi, Kudurekanave, Tirtharampura, Bukkapatna	1,327	...	1,327	Do					
	Arsikere	Bukkapatna	20	...	20	Do					
	Maddagiri	Maddagiri Forests	2,648	...	2,648	Good					
	Pavagada	Pavagada Forests	7,665	...	7,665	Moderate					
	Sira	Bukkapatna including Ranganathapura.	2,458	...	2,458	Do					
	Koratagere	Kavergal, Kolikal and their extensions.	743	...	743	Do					
	Kunigal	Huliyurdurga, Handalkuppe	4,431	...	4,431	Some of them are healthy and the rest weak.					
	Hosdurga	Dasudi, Kudurekanave	408	...	408	Moderate					
	Tiptur	Tirtharampura, Manchaldore, Bukkapatna	150	...	150	Do					
		Total	26,469	...	26,469						
Chitaldrug—For the week ending the 17th April 1909.	Kudligi, Raidurga, Chitaldrug, Challakere, Hosdurga	Kamara kaval State Forest	26	...	26	Healthy, except in places where Rinderpest is prevailing.	Rinderpest is prevailing in Holalkere and surrounding villages and also in Kenkere, Gulihosahalli and Nandanahosur villages.	Fodder is insufficient. The supply of water i fair.	No	Arrangements have been made to sink wells wherever necessary.	
		Hireadvi do	156	...	156						
		Nirthadi do	152	...	152						
		Total	334	...	334						

Statement showing the number of cattle that have entered the State Forests and Reserved lands in the several districts of the Mysore Province, etc.—*concld.*

District	Name of taluk to which the cattle belong	Name of State Forests in which they graze	Number of cattle of all descriptions: Up to the beginning of the week	Number of cattle of all descriptions: During the week	Number of cattle of all descriptions: Total	Condition of cattle	Whether any epidemic disease is prevailing in the district	Whether fodder and water are sufficient	Whether there is room for more cattle	Whether any provision is necessary for water and, if so, what provision has been made	Remarks
Kolar—For the week ending the 17th April 1909.	Chikballapur	Narasimhadevarabetta Forest Blocks I to IV.	1,990	...	1,990	Fairly good ...	Rinderpest is prevailing in parts of the Chikballapur, Bowringpet, Bagepalli and Srinivaspur Taluks and Gudibanda Sub-Taluk.	Fodder is sufficient but water scarcity is felt.	No	Arrangements have been made to sink wells wherever necessary.	739 since left.
	Goribidnur										
	Sidlaghatta	Valse Forest	509	...	509						
		Goramadagu Plantation ...	556	...	556						
	Bowringpet	Kamasamudra Forest ...	5,888	...	5,888	Do ...		Both are sufficient as there was some rain during the week.			
	Malur										
	Goribidnur	Narasimhadevarabetta Block V ...	3,661	...	2,932	Good ...		Both fodder & water are sufficient at present			
	Chikballapur										
	Gudibanda										
	Bagepalli	Ittikaldurga Blocks I to IV ...	6,897	...	6,897						
	Srinivaspur	Royalpad Blocks I to III ...	4,591	...	4,591	Fairly good...		Water is sufficient but fodder scarcity is felt in some parts.			
	Kolar	Adagal Forest	4,721	...	4,721						
	Mulbagal	Srinivaspur Forest	1,241	...	1,241						
		Agara Forest	1,425	...	1,425						
		Total ...	31,479	...	30,740						
Hassan—For the week ending the 17th April 1909.	Hassan	Gendekatte, Burdalbore, Hongere, Vantigudda, Mallappanabetta, Agrahara, etc.	2,829	1,498	4,327	Poor ...	Yes ...	Not sufficient.	No ...	Not necessary.	
	Arkalgud										
	Hole-Narsipur Taluk and Alur Sub-Taluk										
		Total ...	2,829	1,498	4,327						

Mysore—For the week ending the 17th April 1909.	Krishnarajpete	...	Metikuppe State Forest	...	235	...	235	Good	No	...	Not necessary.
	Mandya	...	Do	...	43	...	43				
			Hunsur Forests	...	83	...	83				
	Turuvekere	...	Metikuppe State Forest	...	40	...	40				
			Hunsur Forests	...	100	...	100				
	Tumkur	...	Hunsur Forests	...	76	...	76				
	Kunigal	...	Do	...	30	...	30				
			Berumbadi Forest	...	55	...	55				
	Gubbi	...	Hunsur Forests	...	311	...	311				
	Nagamangala	...	Do	...	482	...	482				
			Narayandurga Forest	...	241	...	241				
			Sargur Range	...	80	...	80				
	Channarayapatna	...	Hunsur Forests	...	225	...	225				
			Burgi Sub-Range	...	8	...	8				
	Tiptur	...	Hunsur Forests	...	45	...	45				
	Malvalli	...	Dhangur Forest	...	374	...	374				
	Gundlupet	...	Bandipur	...	405	...	405				
			Total	...	2,833	...	2,833				
Kadur—For the week ending the 17th April 1909.	Nagamangala	...	Mudgere Forests	...	24	...	24	Good	No	...	Not necessary.
	Arsikere	...			50	...	50				
	Hosdurga	...	Koppa Forests	...	48	...	48				
	Kadur	...			620	...	620				
	Tarikere	...	Jagarvalley Forests	...	400	...	400				
			Total	...	1,142	...	1,142				

Chapperoga is prevailing at Dhangur and cattle disease in the villages situated in the neighbourhood of the Berumbadi District Forests and around the jungles of the Sargur Range.

4,000 Amrut Mahal cattle are also grazing in the forests of the Kakankote Range.

M. MUTHANNAH,